

DAIKIN ONE PLUS HOMEOWNER SETTINGS MENU OUTLINE
(based on v2.7.10 software for VRV and Mini/multi-split systems)

| Level 1 | Level 2 | Level 3 | Level 4 | Level 5 | Level 6 | |
|-----------------------------|---|--|--|-----------------------------|--------------------------------------|--|
| system mode | auto (cool & heat) -or- master controlled | ("Master controlled" appears only for P1P2 systems if another thermostat is selected as the master.) | | | | |
| | cool | | | | | |
| | heat | | | | | |
| | off | | | | | |
| | emergency heat | (if aux heat source available) | | | | |
| fan | cooling fan speed | auto | (depends on indoor unit) | | | |
| | | low | (depends on indoor unit) | | | |
| | | medium low | (depends on indoor unit) | | | |
| | | medium | (depends on indoor unit) | | | |
| | | medium high | (depends on indoor unit) | | | |
| | cooling vertical position | oscillate | (depends on indoor unit) | | | |
| | | fixed | (depends on indoor unit) | | | |
| | | position | (only P1P2, depends on indoor unit) | | | |
| | cooling horizontal position | oscillate | (depends on indoor unit) | | | |
| | | fixed | (depends on indoor unit) | | | |
| | heating fan speed | auto | (depends on indoor unit) | | | |
| | | low | (depends on indoor unit) | | | |
| | | medium low | (depends on indoor unit) | | | |
| | | medium | (depends on indoor unit) | | | |
| | heating vertical position | medium high | (depends on indoor unit) | | | |
| | | high | (depends on indoor unit) | | | |
| oscillate | | (depends on indoor unit) | | | | |
| heating horizontal position | fixed | (depends on indoor unit) | | | | |
| | position | (only P1P2, depends on indoor unit) | | | | |
| schedule | paused until... | (if schedule paused) | | | | |
| | on | | | | | |
| | off | | | | | |
| | edit schedule | | Sunday Monday Tuesday Wednesday Thursday Friday Saturday | (1st schedule event name) | day (weekday of event) | |
| | | | | start time | time | (time selection) |
| | | | | heat setpoint/cool setpoint | label | (text entry) |
| | | | | | action | set temperature |
| | | | | | temperature | (selection of heat and cool setpoints) |
| | | | | (2nd schedule event name) | | |
| | | | | start time | (same options as 1st schedule event) | |
| | heat setpoint/cool setpoint | | | | | |
| | (up to 6 schedule events) | | | | | |
| copy day | | | | | | |
| add event | | | | | | |
| override duration | | until next event | | | | |
| | | for one hour | | | | |
| | | for two hours | | | | |
| | | for four hours | | | | |
| away | | for eight hours | | | | |
| | | on (radio button) | | | | |
| | | off (radio button) | | | | |
| | | away temperatures | (selection of heat and cool setpoints) | | | |
| | receive geofencing events (checkbox) | | | | | |
| display | language | english | | | | |
| | | español | | | | |
| | | française | | | | |
| | degree units | fahrenheit | | | | |
| | | celsius | | | | |
| | brightness | 50 - 100% scale | | | | |
| | night mode | night mode (check box) | | | | |
| | | from (time selection) | | | | |
| | | to (time selection) | | | | |
| | main screen | default | | | | |
| | | classic | | | | |
| use large font (check box) | | | | | | |
| use light bar (check box) | | | | | | |
| screen saver | off | | | | | |
| | blank screen | | | | | |
| | analog clock | | | | | |
| | digital clock | | | | | |
| screen cleaning | touch screen is disabled from screen cleaning (30s) | | | | | |
| lock | Enter a 4-digit PIN... | (number entry) | | | | |
| sound | use sound (check box) | | | | | |

| | | | | | | |
|------------------------------------|---|--|---|--|--|--|
| reminders | (list of installed filters with reminders menu for each) | Off | | | | |
| | | 1 month | | | | |
| | | 2 months | | | | |
| | | 3 months | | | | |
| | | 4 months | | | | |
| | | 6 months | | | | |
| | | 12 months | | | | |
| date & time | time zone | (list of North America time zones with radio button selection) | | | | |
| | month/date/year | (selection with spinner) | | | | |
| | hour/minute/am or pm | (selection with spinner) | | | | |
| | use 24-hour time format (checkbox) | | | | | |
| wifi | use wifi (checkbox) | | | | | |
| | networks (current network) | network list | (password text box if protected) | | | |
| | | show password (checkbox) | | | | |
| | | advanced settings | use dhcp (checkbox) | | | |
| | | connect | | | | |
| | searching for networks (or) search again | | | | | |
| | internet connected (check) | | | | | |
| Daikin One Cloud connected (check) | | | | | | |
| legal notices | terms of use | (text) | | | | |
| | privacy policy | (text) | | | | |
| | end user license agreement | (text) | | | | |
| account | (6-digit account code if app not connected) | | | | | |
| | (account email if app connected) | | | | | |
| | reset registration (if app connected) | cancel continue | | | | |
| air quality | circulate air | off | (P1P2 only) | | | |
| | | on | (P1P2 only) | | | |
| humidity | target humidity | humidify if less than (25% - 65%) | (5% increments) | | | |
| | | dehumidify if more than (35% - 75%) | (5% increments) | | | |
| | overcool to dehumidify | Overcooling allowed to dehumidify: (0°F to 3°F or 0°C to 1.5°C) Temperature setpoint deadband: (2°F to 9°F or 1°C to 5°C) | (1°F or 0.5°C increments) (1°F or 0.5°C increments) | | | |
| energy | demand response | use demand response (checkbox) | | | | |
| | | When demand response signal is received: | offset temperature setpoints use fixed temperature setpoints | | | |
| | | response settings | setpoint offsets | Offset heat setpoints by this value: (-1°F to -7°F) Offset cool setpoints by this value: (1°F to 7°F) | | |
| | | | event setpoint limits | (50°F to 90°F) | | |
| | | | enable energy pricing (checkbox) | | | |
| | | | price trigger (if checkbox above) | (\$0.00 to \$9.99) | | |
| thermostat | name | main room | | | | |
| | | upstairs | | | | |
| | | downstairs | | | | |
| | | hallway | | | | |
| | | bedroom | | | | |
| | | kitchen | | | | |
| | | other | | | | |
| | other name (if other selected) | (text entry) | | | | |
| | model ONEPLUS | | | | | |
| | software version (x.x.x format) | | | | | |
| wifi address (x:x:x:x:x format) | | | | | | |
| thermostat ID (DKN...) | | | | | | |
| restart thermostat | cancel | | | | | |
| | continue | | | | | |
| check for update | software update found (or) no update available dismiss | | | | | |
| COMMUNICATING EQUIPMENT: | indoor unit | (unit description) | | | | |
| | | model # | | | | |
| | | serial # | | | | |

| | | | | | |
|-----------------|-----------------------|-----------------------------------|------------------------------------|--|--|
| equipment | | unit type | | | |
| | | (unit description) | | | |
| | outdoor unit | model # | | | |
| | | serial # | | | |
| | ADDITIONAL EQUIPMENT: | | | | |
| | air quality sensor | (if installed) | | | |
| | aux heat source | (if installed) | | | |
| | filter box | (if installed) | | | |
| | HEPA filter | (if installed) | | | |
| | standard filter | (if installed) | | | |
| dehumidifier | (if installed) | | | | |
| humidifier | (if installed) | | | | |
| support | Daikin Support | | | | |
| | Daikin Dealer | | | | |
| | cloud services | no access | | | |
| | | monitor | | | |
| adjust settings | | | | | |
| dealer edit | cancel | (i) | (4 digit pin for thermostat) | | |
| | | 4 digit code (text entry) | | | |
| | continue | unlock thermostat (or) done | (entry into commissioning screens) | | |