

DAIKIN ONE PLUS HOMEOWNER SETTINGS MENU OUTLINE
(based on v3.1.4 software for VRV and mini/multi-split systems)

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	
system mode	auto (cool & heat) -or- master controlled	(The "master controlled" option appears only for VRV systems, and only if another thermostat is selected as the master.)				
	cool					
	heat					
	off					
	emergency heat	(if aux heat source available)				
fan	cooling fan speed	auto	(depends on indoor unit)			
		low	(depends on indoor unit)			
		medium low	(depends on indoor unit)			
		medium	(depends on indoor unit)			
		medium high	(depends on indoor unit)			
	cooling vertical position	oscillate	(depends on indoor unit)			
		fixed	(depends on indoor unit)			
		position	(only VRV, depends on indoor unit)			
	cooling horizontal position	oscillate	(depends on indoor unit)			
		fixed	(depends on indoor unit)			
	heating fan speed	auto	(depends on indoor unit)			
		low	(depends on indoor unit)			
		medium low	(depends on indoor unit)			
		medium	(depends on indoor unit)			
	heating vertical position	medium high	(depends on indoor unit)			
		high	(depends on indoor unit)			
oscillate		(depends on indoor unit)				
heating horizontal position	fixed	(depends on indoor unit)				
	position	(only VRV, depends on indoor unit)				
schedule	paused until...	(if schedule paused)				
	on					
	off					
	edit schedule (appears when schedule on)	Sunday Monday Tuesday Wednesday Thursday Friday Saturday	start time heat setpoint/cool setpoint	(1st schedule event name)	day (weekday of event)	
					time	(time selection)
					label	(text entry)
					action	set temperature
					temperature	(selection of heat and cool setpoints)
	override duration (appears when schedule on)	until next event for one hour for two hours for four hours for eight hours		(2nd schedule event name)	(same options as 1st schedule event)	
away	on (radio button)					
	off (radio button)					
	away temperatures	(selection of heat and cool setpoints)				
	receive geofencing events (checkbox)					
display	language	english				
		español				
		française				
	degree units	fahrenheit				
		celsius				
	brightness	50 - 100% scale				
	night mode	night mode (check box)				
		from (time selection) to (time selection)				
	main screen	default classic				
	use large font (check box)					
	use light bar (check box)					
screen saver	off					
	blank screen					
	analog clock digital clock					
screen cleaning	touch screen is disabled from screen cleaning (30s)					
lock	Enter a 4-digit PIN...	(number entry)				

sound	use sound (checkbox)				
reminders	(list of installed filters with reminders menu for each)	Off			
		1 month			
		2 months			
		3 months			
		4 months			
		6 months			
		12 months			
	restart timer	cancel			
		continue			
date & time	time zone	(list of North America time zones with radio button selection)			
	month/date/year	(selection with spinner, for display only if connected to internet)			
	hour/minute/am or pm	(selection with spinner, for display only if connected to internet)			
	use 24-hour time format (checkbox)				
wifi	use wifi (checkbox)				
	networks (current network)	network list	legal notices	terms of use (text)	
				privacy policy (text)	
				end user license agreement (text)	
				decline	
				accept	
		(password text box)			
		show password (checkbox)	(if protected network)		
		advanced settings	use dhcp (checkbox)		(screen appears after legal notices accepted)
		connect per agreed terms (and) Done	(initiates connection to wifi network)		
	searching for networks (or) search again				
	internet connected (check)				
	Daikin One Cloud connected (check)				
legal notices		terms of use (text)			
		privacy policy (text)			
		end user license agreement (text)			
account	(6-digit account code if app not connected)				
	(account email if app connected)				
	reset registration (if app connected)	cancel			
		continue			
air quality	circulate air	off			
		on			
humidity	target humidity	humidify if less than (25% - 65%)	(5% increments)		
		dehumidify if more than (35% - 75%)	(5% increments)		
	overcool to dehumidify	Overcooling allowed to dehumidify: 0°F to 3°F (0°C to 1.5°C)	(1°F or 0.5°C increments)		
		Temperature setpoint deadband: 2°F to 9°F (1°C to 5°C)	(1°F or 0.5°C increments)		
energy	demand response	use demand response (checkbox)	(only functional with local utility support)		
		When demand response signal is received:	offset temperature setpoints		
		use fixed temperature setpoints			
	response settings	setpoint offsets	Offset heat setpoints by this value: (-1°F to -7°F)		
			Offset cool setpoints by this value: (1°F to 7°F)		
		event setpoint limits	(50°F to 90°F)		
	enable energy pricing (checkbox)				
	price trigger (if checkbox above)	(\$0.00 to \$9.99)			
thermostat	name	main room			
		upstairs			
		downstairs			
		hallway			
		bedroom			
		kitchen			
		other			
	other name (if other selected)	(text entry)			
	model ONEPLUS				
	software version (x.x.x format)				
wifi address (x:x:x:x:x format)					
thermostat ID (DKN...)					
restart thermostat	cancel				
	continue				
check for update	software update found (or) no update available--dismiss				
	COMMUNICATING EQUIPMENT:				

equipment	indoor unit	(unit description)				
		model #				
		serial #				
		unit type				
	outdoor unit	(unit description)				
		model #				
		serial #				
	ADDITIONAL EQUIPMENT:					
	air quality sensor	(if installed)				
	aux heat source	(if installed)				
	filter box	(if installed)				
HEPA filter	(if installed)					
standard filter	(if installed)					
dehumidifier	(if installed)					
humidifier	(if installed)					
support	Daikin Support					
	Daikin Dealer					
	cloud services	no access				
		monitor				
adjust settings						
dealer edit	cancel	(i)	(4 digit pin for thermostat)			
	continue	4 digit code (text entry)				
		unlock thermostat (or) done		(entry into commissioning screens)		