DAIKIN ONE+ and TOUCH HOMEOWNER SETTINGS MENU OUTLINE

(based on v3.2.19 software for unitary systems)

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
204617	auto (cool & heat)	Level 3	207017	Level 3	20461.0
	cool				
system mode	heat				
	off				
		(if HP and another heat source			
	emergency heat	available)			
	paused until	(if schedule paused)			
	on				
	off				
				day (weekday of event)	
	edit schedule		(1st schedule event name)	time	(time selection)
		Sunday	start time	label	(text entry)
		Monday	heat setpoint/cool setpoint	action	set temperature (selection of heat and
		Tuesday		temperature	cool setpoints)
		Wednesday	(2nd schedule event name)	temperature	coor seepoints)
schedule		Thursday	start time	(same options as 1st schedule	
		Friday	heat setpoint/cool setpoint	event)	
		Saturday	(up to 6 schedule events)	evency	
			copy day		
			add event		
		until next event			
		for one hour			
	override duration	for two hours			
		for four hours			
		for eight hours			
	on (radio button)				
	off (radio button)				
away	away temperatures	(selection of heat and cool setpoints)			
	receive geofening events (checbox)				
	(checbox)	1.1			
	language	english español			
	language	française			
		fahrenheit			
	degree units	celsius			
	brightness	50 - 100% scale			
	night mode	night mode (check box)			
		from (time selection)			
dicplay		to (time selection)			
display	use large font (check box)				
	use light bar (check box)				
		off			
	screen saver	blank screen			
		analog clock			
		digital clock touch screen is disabled from screen			
	screen cleaning				
	lock	cleaning (30s)	(number entry)		
	use sound (check box)	Enter a 4-digit PIN (not the Touch thermostat)	maniper entry)		
	quiet mode (off or hours if		(1, 11,)		
sound	enabled) (if unit supports quiet	use quiet mode	(check box)		
	mode and not hidden by	quiet hours	from: (time) to: (time) (time selection in 15 min. increments)		
	(list of installed reminder type with following menu for each)	Off	navanori ir 13 min. increments)		
		1 month			
		2 months			
		3 months			
reminders		4 months			
		6 months	<u> </u>		
		12 months			
		restart timer	cancel		
			continue		
date & time		with radio buttons; cannot be			
		changed if connected to internet and			
		app)			
		(selection with spinner, cannot be			
	month/date/year	changed if connected to internet)			
	hour/minute/am or pm	(selection with spinner, cannot be			
		changed if connected to internet)			-
	use 24-hour time format				
	(checkbox) use wifi (checkbox)				
	use will (checkbox)			terms of use	(text)
1	I	ı	I	terms or use	Itienij

Ī			<u> </u>		(r, r)
				privacy policy	(text)
			legal notices	end user license agreement	(text)
				decline	
		network list	(accept	
	networks (current network)		(password text box)	(if protected network)	
wifi		1	show password (checkbox)	(if protected network) use dhcp (checkbox)	(screen appears after legal notices accepted)
			advanced settings connect per agreed terms	(initiates connection to wifi	
			(and) Done	network)	
		searching for networks (or)	(and) Done	network)	
		search again			
	internet connected (check)	3carcii agaiii			
	Daikin One Cloud connected				
	(check)				
	,	terms of use	(text)		
	legal notices	privacy policy	(text)		
		end user license agreement	(text)		
	restart thermostat				
	(if internet but no cloud)				
	(6-digit account code if app not				
	connected)				
account	connected)				
	reset registration (if app	cancel			
	connected)	continue			
		off			
		always on	(radio buttons)		
		on a schedule			
ĺ		snood	low	(if "always on" or "on a	
ĺ		speed	medium	schedule" selected)	
	siraulata sir (salastian)		high	·	
air analitu	circulate air (selection)	schedule (selected time)	from (time)		
air quality			to (time) for entire schedule		
			hourly for 5 minutes		(if "on a schedule" selected)
		duration	hourly for 15 minutes	(radio buttons)	
		duration	hourly for 30 minutes	(radio battons)	
			hourly for 45 minutes		
		Off			
	one clean	On			
		humidify if less than			
	target humidity	(25% - 65%)	(5% increments)		
		dehumidify if more than			
humidity		(35% - 75%)	(5% increments)		
aa.cy		Overcooling allowed to dehumidify:			
	overcool to dehumidify	0°F/off to 3°F (0°C to 1.5°C)	(1°F or 0.5°C increments)		
	overseer to demandary	Temperature setpoint deadband:			
		(2°F to 9°F or 1°C to 5°C)	(1°F or 0.5°C increments)		
	demand response	use demand response (checkbox)	(only functional with local		
		M/han damand raspansa signal is	utility support) offset temperature setpoints		
		When demand response signal is	use fixed temperature setpoints		
		response settings	ase naca temperature setpoints	Offset heat setpoints by this	
energy			setpoint offsets	value: (-1°F to -7°F)	
				Offset cool setpoints by this	
				value: (1°F to 7°F)	
			event setpoint limits	(50°F to 90°F)	
			enable energy pricing (checkbox	·	
			price trigger (if checkbox above)		
	name	main room			
		upstairs			
thermostat		downstairs			
		hallway			
		bedroom			
		kitchen			
		other	(tout outro)		
	model ONEDLUC	other name (if other selected)	(text entry)		
	model ONEPLUS software version (x.x.x format)				
	wifi address (x:x:x:x:x format)				
	thermostat ID (DKN)				
		cancel			
	restart thermostat	continue			
		software update found (or)			
	check for update	no update availabledismiss			
	COMMUNICATING EQUIPMENT:				
		(model details)			
ĺ		specifications	(list of model specifications)		
	air conditioner (model, if	quiet mode (off or hours if enabled)	use quiet mode	(check box)	
-	•	more on or nonce it enament			

•	I	Iquice mode (on or nodes in chapica)		
	present)	(if unit supports quiet mode)	quiet hours	from: (time) to: (time)
	(or)	(1	(in 15 min. increments)
	heat pump (model, if present)	prioritize efficiency (or)		
		prioritize comfort	(radio buttons)	
equipment		(if heat pump and furnace system)		
	air hander (model)(if present)	(model details)		
	(or)	specifications	(list of model specifications)	
	EEV coil (if present)	(list of model specifications)		
	ADDITIONAL EQUIPMENT:			
	air quality sensor	(if installed)		
	electronic filter	(if installed)		
	media filter	(if installed)		
	UV bulbs	(if installed)		
	aux heat source	(if installed)		
	humidifier	(if installed)		
	dehumidifier	(if installed)		
	zone board	(if installed)		
	Daikin Support	(Daikin contact information)		
	Daikin Dealer	(if dealer information entered)		
support	cloud services	no access		
		view only		
		adjust settings		
dealer edit	cancel	(i)	(4 digit code for thermostat)	
	continue	4 digit code (text entry)		
		unlock thermostat (or)	(entry into commissioning	
		done	screens)	