

DAIKIN ONE PLUS HOMEOWNER SETTINGS MENU OUTLINE

(based on v2.5 software for S21 and P1P2 systems)

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	
system mode	auto (cool & heat) -or- master controlled	("Master controlled" appears only for P1P2 systems if another thermostat is selected as the master.)				
	cool					
	heat					
	off					
	emergency heat					
display	language	english				
		español				
		française				
	degree units	fahrenheit				
		celsius				
	brightness	50 - 100% scale				
		Night Mode		night mode (check box)		
				from (time selection)		
				to (time selection)		
	screen cleaning		touch screen is disabled from screen cleaning (30s)			
	main screen	default classic				
	use large font (check box)					
	use sound (check box)					
use light bar (check box)						
screen saver	off					
	blank screen					
	analog clock					
	digital clock					
lock	Enter a 4-digit PIN...		(number entry)			
schedule	Schedule Template	basic (awake/sleep)	preview template (contents of template)	load template	confirmation	
			load template	cancel continue		
		9 to 5 workweek	preview template (contents of template)	load template	confirmation	
			load template	cancel continue		
		early to rise	preview template (contents of template)	load template	confirmation	
			load template	cancel continue		
	Manual adjustment overrides	until next event in schedule				
		for one hour				
		for two hours				
		for four hours				
	for eight hours					
away	use geofencing (checkbox)					

comfort	target humidity	humidify if less than (25% - 65%)	(5% increments)			
		dehumidify if more than (35% - 75%)	(5% increments)			
	deadband/overcool	Temperature setpoint deadband: (2°F to 9°F or 1°C to 5°C)	(1°F or 0.5°C increments)			
		Overcooling allowed to dehumidify: (0°F to 3°F or 0°C to 1.5°C)	(1°F or 0.5°C increments)			
air quality	fan settings	cooling fan speed	auto			
			low			
			medium low			
			medium			
			medium high			
			high			
		cooling vertical position	oscillate			
			fixed			
			position	(only appears for P1P2)		
		cooling horizontal position	oscillate			
			fixed			
		heating fan speed	auto			
			low			
			medium low			
medium						
medium high						
heating vertical position	oscillate					
	fixed					
	position	(only appears for P1P2)				
heating horizontal position	oscillate					
	fixed					
utility demand response	program not connected					
	demand response	use demand response (checkbox)				
		When demand response signal is received:	offset temperature setpoints			
			use fixed temperature setpoints			
		response settings	setpoint offsets	Offset heat setpoints by this value: (-1°F to -7°F) Offset cool setpoints by this value: (1°F to 7°F)		
			event setpoint limits	(50°F to 90°F)		
			enable energy pricing (checkbox)			
			price trigger (if checkbox above)	(\$0.00 to \$9.99)		
account	account	(6-digit account code if app not connected)				
		(account email if app connected)				
		reset registration (if app connected)	cancel continue			
	dealer	(dealer contact info if entered)				
		remote access	no access			
			remote monitoring			
	remote editing					
	date & time	month/date/year				
		time				
		use 24-hour time format (checkbox)				
		time zone	(list of North America time zones with radio button selection)			
	messages	service reminders (checkbox)				
		educational messages (checkbox)				
		share alerts with dealer (checkbox)				
		alert history	alert log (if any) clear history (if any)			
	thermostat	thermostat	device name	main room		
				upstairs		
				downstairs		
hallway						
bedroom						
kitchen						
other						
other name (if other selected)			(text entry)			
model ONEPLUS						
software version (x.x.x format)						
wifi address (x:x:x:x:x format)						
thermostat ID (DKN...)						
restart thermostat	continue cancel					

Configuration	system components	outdoor	(outdoor system info if outdoor connected)			
		indoor	(indoor system info if indoor connected)			
		air quality	(list of installed filters)			
		reminders	(list of installed filters with reminders menu for each)	Off		
				1 month		
				2 months		
				3 months		
				4 months		
	6 months					
	12 months					
	restart timer		cancel			
			continue			
	aux heat source (if added)					
	home wifi	use wifi (checkbox)				
		networks (current network)	network list	(password text box if protected)		
				show password (checkbox)		
				advanced settings	use dhcp (checkbox)	
				connect		
		searching for networks (or) search again				
		internet connected (check)				
		Daikin One Cloud connected (check)				
		legal notices	terms of use	(text)		
			privacy policy	(text)		
	end user license agreement		(text)			
	dealer edit	cancel				
		continue	(i)	(4 digit pin for this thermostat)		
4 digit pin (text entry)						
unlock thermostat (or) done			(entry into commissioning screens)			