DAIKIN ONE PLUS HOMEOWNER SETTINGS MENU OUTLINE

(based on v2.7.10 software for unitary systems)

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
	auto (cool & heat)				
	cool				
ystem mode	heat				
ystem mode	off				
		(if HP and another heat source			
	emergency heat	available)			
	paused until	(if schedule paused)			
	on				
	off				
		Sunday Monday Tuesday	(1st schedule event name) start time heat setpoint/cool setpoint	day (weekday of event)	
				time	(time selection)
				label	(text entry)
				action	set temperature
					(selection of heat an
	edit schedule	Wednesday	(2 1 1 1 1 1 1 1 1 1	temperature	cool setpoints)
schedule		Thursday	(2nd schedule event name)		
		Friday	start time	(same options as 1st schedule	
		Saturday	heat setpoint/cool setpoint	event)	
		,	(up to 6 schedule events)		
			copy day		
		unatil mant and a	add event		
		until next event	<u> </u>		
	a sadda da sada a	for one hour	 		<u> </u>
	override duration	for two hours			
		for four hours			
	on (realis houses)	for eight hours	+		
	on (radio button)	+	+		
	off (radio button)	(coloction of best and see			
away	away tomporaturas	(selection of heat and cool			
	away temperatures	setpoints)			
	receive geofening events				
	(checbox)	<u> </u>			
	language	english			
		español			
		française			
	degree units	fahrenheit	<u> </u>		
	la wi a la tana a a	celsius			
	brightness	50 - 100% scale			
	night mode	night mode (check box) from (time selection)			
		to (time selection)			
		default			
display	main screen	classic			
	use large font (check box)	Classic			
	use light bar (check box)				
	use light but (check box)	off	1	<u> </u>	
		blank screen			
	screen saver	analog clock			
		digital clock			
		touch screen is disabled from			
	screen cleaning	screen cleaning (30s)			
	lock	Enter a 4-digit PIN	(number entry)		
sound	use sound (check box)	3	1		
- -	(=======	Off	<u> </u>		
		1 month			
	(list of installed filters with reminders menu for each)	2 months	<u> </u>		
reminders		3 months			
		4 months			
-		6 months			
		12 months			
			cancel		
		restart timer	continue		
	time zone	(list of North America time zones	†		
	month/date/year	(selection with spinner)	<u> </u>		
		(control of the cont			
date & time	hour/minute/am or pm	(selection with spinner)			
	use 24-hour time format	(SCIESTION WITH Springer)	<u> </u>		
	(checkbox)				
	use wifi (checkbox)	+	1		
	use will (checkbox)	+			
			(nassword tout how if protects 1)		
	networks (current network)	network list	(password text box if protected)		
			show password (checkbox)	uso dhen (shaskhay)	
			advanced settings	use dhcp (checkbox)	
	İ		connect	<u> </u>	

	1	coarching for notworks			
wifi		searching for networks (or)			
WITI		search again			
	internet connected (check)	Jean em agam			
	Daikin One Cloud connected				
	(check)				
		terms of use	(text)		
		privacy policy	(text)		
		end user license agreement	(text)		
	(6-digit account code if app not				
	connected)				
account	(account email if app connected)				
	reset registration (if app	cancel			
	connected)	continue			
		off			
		always on			
				set times	from (time)
					to (time)
	circulate air	on a schedule	fan schedule		for entire schedule hourly for 5 minutes
	Circulate all	on a scriedule			hourly for 15 minutes
air quality				duration	hourly for 30 minutes
					hourly for 45 minutes
		ana daan	Off		,
		one clean	On		
		low			
	•	medium			
		high			
		humidify if less than	(50(:		
	ITARDEL DIIMINITY	(25% - 65%)	(5% increments)		
		dehumidify if more than (35% - 75%)	(5% increments)		
humidity		Overcooling allowed to dehumidify:	(370 merements)		
	overcool to dehumidify		(1°F or 0.5°C increments)		
		Temperature setpoint deadband:			
		(2°F to 9°F or 1°C to 5°C)	(1°F or 0.5°C increments)		
	demand response	use demand response (checkbox)			
		When demand response signal is			
		received:	offset temperature setpoints		
			use fixed temperature setpoints	Offset heat setneints by this	
energy		response settings	setpoint offsets	Offset heat setpoints by this value: (-1°F to -7°F)	
				Offset cool setpoints by this	
				value: (1°F to 7°F)	
			event setpoint limits	(50°F to 90°F)	
			enable energy pricing (checkbox)		
			price trigger (if checkbox above)	(\$0.00 to \$9.99)	
		main room			
	device name	upstairs			
		downstairs			
		hallway			
		hodroom			
		bedroom kitchen			
		kitchen other			
		kitchen	(text entry)		
thermostat	model ONEPLUS	kitchen other	(text entry)		
thermostat	model ONEPLUS software version (x.x.x format)	kitchen other	(text entry)		
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x format)	kitchen other	(text entry)		
thermostat	model ONEPLUS software version (x.x.x format)	kitchen other other name (if other selected)	(text entry)		
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x format)	kitchen other other name (if other selected) cancel	(text entry)		
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x format) thermostat ID (DKN)	kitchen other other name (if other selected) cancel continue	(text entry)		
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x format) thermostat ID (DKN) restart thermostat	kitchen other other name (if other selected) cancel	(text entry)		
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x format) thermostat ID (DKN) restart thermostat	cancel continue software update found	(text entry)		
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:xx format) thermostat ID (DKN) restart thermostat check for update	cancel continue software update found (or)	(text entry)		
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x:x format) thermostat ID (DKN) restart thermostat check for update COMMUNICATING EQUIPMENT:	cancel continue software update found (or) no update available dismiss			
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x:x format) thermostat ID (DKN) restart thermostat check for update COMMUNICATING EQUIPMENT:	cancel continue software update found (or) no update available dismiss air conditioner (if present)	(text entry) (model details)		
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x:x format) thermostat ID (DKN) restart thermostat check for update COMMUNICATING EQUIPMENT: outdoor	cancel continue software update found (or) no update available dismiss air conditioner (if present) (or)	(model details)		
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x:x format) thermostat ID (DKN) restart thermostat check for update COMMUNICATING EQUIPMENT: outdoor	cancel continue software update found (or) no update available dismiss air conditioner (if present) (or) heat pump (if present)	(model details) specifications	(list of model specifications)	
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x:x format) thermostat ID (DKN) restart thermostat check for update COMMUNICATING EQUIPMENT: outdoor	cancel continue software update found (or) no update available dismiss air conditioner (if present) (or) heat pump (if present) air hander (if present)	(model details)	(list of model specifications)	
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x:x format) thermostat ID (DKN) restart thermostat check for update COMMUNICATING EQUIPMENT: outdoor	cancel continue software update found (or) no update available dismiss air conditioner (if present) (or) heat pump (if present) air hander (if present) (or)	(model details) specifications (model details)		
	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x:x format) thermostat ID (DKN) restart thermostat check for update COMMUNICATING EQUIPMENT: outdoor	cancel continue software update found (or) no update available dismiss air conditioner (if present) (or) heat pump (if present) air hander (if present)	(model details) specifications	(list of model specifications) (list of model specifications)	
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x:x format) thermostat ID (DKN) restart thermostat check for update COMMUNICATING EQUIPMENT: outdoor	cancel continue software update found (or) no update available dismiss air conditioner (if present) (or) heat pump (if present) air hander (if present) (or) gas furnace (if present)	(model details) specifications (model details)		
	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x:x format) thermostat ID (DKN) restart thermostat check for update COMMUNICATING EQUIPMENT: outdoor indoor ADDITIONAL EQUIPMENT: air quality sensor	cancel continue software update found (or) no update available dismiss air conditioner (if present) (or) heat pump (if present) air hander (if present) (or) gas furnace (if present) EEV coil (if present) (if installed)	(model details) specifications (model details)		
thermostat	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x:x format) thermostat ID (DKN) restart thermostat check for update COMMUNICATING EQUIPMENT: outdoor indoor ADDITIONAL EQUIPMENT: air quality sensor media filter	kitchen other other name (if other selected) cancel continue software update found (or) no update available dismiss air conditioner (if present) (or) heat pump (if present) air hander (if present) (or) gas furnace (if present) EEV coil (if present) (if installed) (if installed)	(model details) specifications (model details)		
	model ONEPLUS software version (x.x.x format) wifi address (x:x:x:x:x:x format) thermostat ID (DKN) restart thermostat check for update COMMUNICATING EQUIPMENT: outdoor indoor ADDITIONAL EQUIPMENT: air quality sensor	cancel continue software update found (or) no update available dismiss air conditioner (if present) (or) heat pump (if present) air hander (if present) (or) gas furnace (if present) EEV coil (if present) (if installed)	(model details) specifications (model details)		

1	dehumidifier	(if installed)	
	zone board	(if installed)	
support	Daikin Support		
	Daikin Dealer		
		no access	
	cloud services	monitor	
		adjust settings	
dealer edit	cancel	(i)	(4 digit pin for thermostat)
		4 digit code (text entry)	
	continue	unlock thermostat (or) done	(entry into commissioning screens)